THE ODISHA STATE POLICE HOUSING & WELFARE CORPORATION LTD. JANPATH, BHUBANESWAR-22. Tel: 0674 2541545; Fax: 0674 2541543; E-mail: jmelectricalophwc@gmail.com Web: ophwc.nic.in BID REFERENCE NO: - 03 / 2015-16/ELECT/ OPHWC SCHEDULE OF SHORT TENDER FOR SUPPLY AND INSTALLATION OF PRESCRIBED ITEMS FOR EXECUTION OF CCTV BASED CITY SURVEILLANCE ALONG WITH DIAL 100 SYSTEM AT PURI FOR NABAKALEBARA. SOLD TO: M/S_____ MONEY RECEIPT NO:_____ **DATE:** _____ [SIGNATURE OF ISSUING OFFICER]

THE ODISHA STATE POLICE HOUSING & WELFARE CORPORATION LTD. JANPATH, BHUBANESWAR-22.

Tel: 0674 2541545; Fax: 0674 2541543; E-mail:policehousing@rediffmail.com Web: ophwc.nic.in

SHORT TENDER CALL NOTICE

BID REFERENCE NO: - 03 / 2015-2016 /ELECT/ OPHWC

1. Sealed short tender in the prescribed form with detailed Tender Call Notice for supply and installation of prescribed items are invited in single cover system from the eligible firms having previous experience for execution of CCTV based city surveillance along with Dial 100 system at Puri for Nabakalebara.

Sl.No	Description of the Materials	Unit	Qnty	Estimated cost	EMD	Paper Cost (Including VAT)	Period of completion
1	Supply and installation of 6 core single mode Armoured Fiber optic cable. Specification a. Fiber type – Single mode b. No. of core – 6 c. Cable armouring – Armoured d. Cable jacket characteristics – Cable, Water Tight Brand – Digilink / Allied Telesis or equivalent.	Mtr	1000	Rs.1,94,000.00	Rs.34,858.00	Rs.6,300.00	10 days From date of Order.
2	Supply and installation of 6 port LIU fully assembled. Specification a.Box – Metal Powder Coated Compact Box. b. Holes for 2 cables – 1 inlet & 1Outlet holes for cable. c. Splice Tray – Cushioned Splice Tray.	No	20	Rs.3,80,000.00			

	f Aviation Light						
	f. Aviation Light - Each Tower will have						
	a Aviation Light with						
	wiring properly fixed						
	to sustain wind						
	velocity.						
	g. Painting - Each						
	section of 3mtrs will						
	be painted one by one						
	in white & Red with						
	top as Red and						
	subsequently h. Grounding - Each						
	Tower to have a						
	Copper lightening						
	arrestor on top						
	properly grounded						
	Supply and installation						
	of 24 Mtr self support Mast						
	<u>Specification</u>						
	a. Height - 24mtrs self						
	supported mast						
	b.Material - Mast						
	should be made of 2"						
	to 1" GI Pipe & 16mm						
	to 10mm Rod from						
	base to top (Should comply with IS-1161						
	for properties of						
	tubular sections and						
	IS806 -1968 for design						
	of leg members)						
5.	c. Galvanised - Hot dip	No	04	Rs.16,00,000.00			
	factory galvanised pipe	1,0	0.	113.13,33,33,33			
	d Wind Valacites						
	d. Wind Velocity - Support 200km per						
	hour wind velocity.						
	e. Aviation Light -						
	Each Tower will have a Aviation Light with						
	wiring properly fixed						
	to sustain wind						
	velocity.						
	f. Painting - Each						
	section of 3mtrs will						
	be painted one by one in white & Red with						
	top as Red and						
	subsequently.						
L	, J			1	1	J	

2. The tender document may be obtained on payment of the tender paper cost Rs.6,300.00 [Non refundable] between 10.00 A.M. to 05.00 P.M on each working day from the office

- of the undersigned at the Address given above of O.S.P.H.&WC at Bhubaneswar on or before dt.27/05/2015.
- 3. The tender document will also be available from the web site <u>www.ophwc.nic.in</u> and the same can be downloaded to be used for tender offer. However in case of downloaded tender documents an amount of the tender paper cost as mentioned in the Column 7 of the above table [Non refundable] in shape of Demand Draft / Pay Order drawn on any scheduled Bank, is payable at Bhubaneswar in favour of the "The Odisha State Police Housing & Welfare Corporation Ltd." along with the tender , failing which tender shall be liable for rejection.
- 4. EMD The short tender shall be accompanied with EMD of Rs.34,858.00 in shape of D.D./ Pay order drawn on any Nationalized Bank payable at Bhubaneswar in favour of the "The Odisha State Police Housing & Welfare corporation Ltd.", failing which the tender shall be rejected.
- 5. Other details can be seen in the tender documents.
- 6. The bidding document should be super scribed "Short Tender for prescribed items for CCTV based city surveillance along with Dial 100 system at Puri for Nabakalebara".
- 7. Last date for issue of tender document is up to: 05.00 PM on Dt 27 / 05 /2015.
- 8. Last date for receipt of tender document is up to : 12.30 PM on Dt 29 / 05 /2015.
- 9. Date of opening of bid at : 03.30 PM on Dt 29 / 05 / 2015.
- 10. The authority reserves the right to reject any or all the bids without assigning any reason thereof.
- 11. An affidavit is to be furnished by the bidder at the time of submitting bid document that he is not blacklisted / defaulter contractor / Firm etc. The authority reserves the right to reject any or all the bids without assigning any reason thereof and can impose any conditions as deemed proper before finalisation of tender.

GENERAL CONDITIONS OF THE CONTRACT

BID REFERENCE NO: - 03 / 2015-16 /ELECT/ OPHWC

- The short tender document shall be accompanied with the EMD as above only in shape of Demand Draft / Pay Order drawn on any Nationalized Bank payable at Bhubaneswar in favour of the "The Odisha State Police Housing & Welfare Corporation Ltd." failing which the tender shall be rejected.
- 2. The bidders are requested to submit the receipt of showing cost of tender paper along with the attested copies of Income tax return copy, PAN card, TIN No, upto date VAT clearance certificate and VAT registration certificate, authorization from concerned OEM of respective items (Except item 4,5,6) along with bid documents otherwise the bid shall be liable for rejection. The latest authenticated documentary proof shall be submitted.
- 3. The bid must accompany proof of executing similar nature of work as per eligibility criteria mentioned in tender call notice. Work order and completion certificates in support of previous experience should be enclosed with the tender otherwise the bid shall be rejected.
- 4. The tenders (also called bids) not submitted in prescribed format or in prescribed manner, shall be rejected at the risk and responsibility of bidder.
- All the crucial figures, like rates and amount should be written in figures followed by words in a bracket.
- 6. There shall be no over writing in the tender document and other papers submitted. All additions, alternations, deletions and cutting should be initialed with rubber-stamp (or seal) by the same person, who signs the tender document, failing which so, the tender may be rejected.
- 7. All the rates and amounts shall be quoted in Indian Rupee and shall be presumed to be in Indian Rupee only unless specifically permitted to be quoted otherwise in this tender document.

- 8. Each page of this tender document should be signed by the bidder with seal in token of having read, understood and accepted the terms and conditions of this contract.
- 9. Use separate piece of paper where the space provided in the formats in this tender document for submission of information is not sufficient.
- 10. The contractor shall stand for guarantee against defective materials / manufacturing defects and workmanship for the work carried out by him for a period of **5 years** warranty from its commissioning /handing over & make good /repair/replace the faults during this period without any extra cost, failing which the same shall be got done at the risk and cost of the contractor firm.
- 11. All information submitted or supplied in the formats of this tender document shall be presumed to be true to the best of knowledge of bidder.
- 12. The blacklisted firms shall not be eligible for participating in the bid.
- 13. The tenders/bids can be sent by post or courier as well. However, authorities shall not be responsible for postal or delays in receipt of bids.
- 14. If the last date for receipt of the tender/bid turns out to be a holiday, it will automatically be extended to next working day.
- 15. Once the bid submitted cannot be withdrawn. The bidder or his authorized representative (one person only) will be allowed to be present at the time of opening of tender. They will not participate in the discussions. Clarification sought, if any may be provided by them.
- 16. All or any of the tenders /bids submitted can be rejected without assigning any reason thereof. No claim, whatsoever, shall be admissible for the alleged loss/damages suffered by bidders on account of such rejections.
- 17. Basic rate quoted for each item shall be inclusive of supply, installation, loading, unloading, transportation, insurance, watch and ward etc.
- 18. Advance payment /part payment will not be entertained before completion or handing over the work.
- 19. No claim can be made due to some unforeseen delay for release of payment.

20. Payment of bill will be made only after completion of the work in all respects i.e.

commissioning, testing, and handed over the work.

21. All the transit risk shall be responsibility of the contractor.

22. Failure to complete the work in full within the stipulated period may lead to forfeiture of

EMD and blacklisting of the contractor/firm.

23. The authorities are not bound to accept the lowest quoted rate.

24. Terms and conditions of this tender document can not be negotiated for variations.

25. The authority reserves the right to reject any or all tender in whole or part without

assigning any reason and can impose any other condition(s) as deemed proper before or

in course of finalisation of the tender.

26. The approved tender may be cancelled by the authority any time during validity without

assigning any reason thereof and no claim can lie against OPHW&C for such

cancellation.

27. All the disputes shall be subject to Jurisdiction of Civil Courts situated at Bhubaneswar

only.

Sd./-Chief Engineer.

Signature & seal of the Bidder.

GENERAL BID FORM BID REFERENCE NO: - 03 / 2015-16 /ELECT/ OPHWC

1.Name:	
Full Address:	
Fax No:	
Telephone No :	
E-mail address of the firm: 2.Legal Status of the firm:	
3. Give the location and Address of your Office/ Branch office	:
4. Kindly confirm by writing" Yes" of "No" only	
[A] Have you enclosed the EMD? If yes, mention the amount a	and its identifying details.
[B] Have you enclosed the VAT clearance certificate?	
[C] Have you enclosed the PAN card?	
[D] Have you enclosed the audited balance sheet?	
[E] Copies of assessment return of sales tax and income tax of	last three years.
[F] Have you enclosed all the documents and papers called for	r in this tender document?
Kindly enclose a list. (Use a separate sheet of paper)	
[G] If the answer to [F] above is 'No', which of the Document document have not enclosed.	nents / papers called for in the
(Kindly enclose a list of such document/papers – Use separate	te Sheet of paper, if necessary)
	Sd./-
Signature & seal of the Bidder.	Chief Engineer.

THE ODISHA STATE POLICE HOUSING & WELFARE CORPORATION LTD. JANPATH, BHUBANESWAR-22.

Tel: 0674 2541545; Fax: 0674 2541543; E-mail:policehousing@rediffmail.com Web: ophwc.nic.in

SHORT TENDER CALL NOTICE BID REFERENCE NO: - 03 / 2015-2016 /ELECT/ OPHWC

TENDER SCHEDULE FOR SUPPLY AND INSTALLATION OF PRESCRIBED ITEMS FOR EXECUTION OF CCTV BASED CITY SURVEILLANCE ALONG WITH DIAL 100 SYSTEM AT PURI FOR NABAKALEBARA.

SL. NO	DESCRIPTION OF THE MATERIALS	UNIT	QNT Y	QUOTED BASIC PRICE FOR SUPPLY OF MATERIALS IN (Rs.)	TAXES FOR MATERIA LS	QUOTE D BASIC PRICE FOR INSTA LLATI ON IN (Rs.)	SERVICE TAX FOR INSTALL ATION (%)	TOTAL COST IN (Rs.)		
1	Supply and installation of 6 core single mode Armoured optical Fiber cable Specification a.Fiber type – Single mode b. No. of core – 6 c. Cable armouring – Armoured d.Cable jacket characteristics – Cable, Water Tight Brand – Digilink / Allied Telesis or equivalent.	Mtr	1000							
2	Supply and installation of 6 port LIU fully assembled Specification a.Box – Metal Powder Coated Compact Box. b. Holes for 2 cables – 1 inlet &	No	20							

	1Outlet holes for cable.					
	c. Splice Tray – Cushioned Splice Tray.					
	d.Pigtails & Adaptors – 6 Pigtails & SC Adaptor. Brand – Digilink / Allied Telesis or equivalent.					
	Supply and installation of 24 port LIU fully assembled Specification a.Box – Metal Powder Coated Mountable Box.					
3.	b. Holes for cable Entry – Provision for 4 Holes for Cable Entry.	No	01			
	c. Splice Tray – Cushioned Splice Tray.					
	d.Pigtails & Adaptors – 24 Pigtails & LC Adaptor. Brand – Digilink / Allied Telesis or equivalent.					
4.	Supply and installation of 40 Mtr self support Mast Specification a.Height – 40mtrs self supported mast	No	01			
	b. Material – Mast should be made of 3" to 1" GI Pipe & 16mm to 12mm Rod from base to top					

	(Should comply					
	with IS-1161 for					
	properties of					
	tubular sections					
	and IS806 -1968					
	for design of leg					
	members)					
	c. Galvanised–					
	Hot dip factory					
	galvanised pipe.					
	d. Wind					
	Velocity-					
	Support 200km					
	per hour wind					
	velocity.					
	f. Aviation Light					
	- Each Tower					
	will have a					
	Aviation Light					
	with wiring					
	properly fixed to					
	sustain wind					
	velocity.					
	a Daintina					
	g. Painting -					
	Each section of					
	3mtrs will be					
	painted one by					
	one in white &					
	Red with top as					
	Red and					
	subsequently					
	h. Grounding -					
	Each Tower to					
	have a Copper					
	lightening					
	arrestor on top					
	properly					
	grounded					
	Supply and					
	installation of 24					
	Mtr self support					
	Mast Support					
	<u>Specification</u>					
	a. Height -					
	24mtrs self					
5.	supported mast	No	04			
٥.	supported mast	110	04			
	b.Material - Mast					
	should be made					
	of 2" to 1" GI					
	Pipe & 16mm to					
	10mm Rod from					
	base to top					

	(Should comply with IS-1161 for properties of tubular sections and IS806 -1968 for design of leg members) c. Galvanised - Hot dip factory galvanised pipe d. Wind Velocity					
	- Support 200km per hour wind velocity					
	e. Aviation Light - Each Tower will have a Aviation Light with wiring properly fixed to sustain wind velocity					
	f. Painting - Each section of 3mtrs will be painted one by one in white & Red with top as Red and subsequently					
	g.Grounding - Each Tower to have a Copper lightening arrestor on top properly grounded					
6.	Supply and installation of mounting arrangement of camera in buildings corner, wall etc.	No	112			
	Specification a.Mounting brackets for Camera					

	T , 11 .*	CI			1		1	
	Installation - Powder Coat							
	Brackets, Pla Monkey	ites,						
	Protection C	2006						
	& other	ages						
	accessories to	o fix						
	the Cameras.							
	the Cameras.	•						
	Supply and							
	installation o	of						
	32" LED							
7.	Monitor	No	02					
	Make : Sams	-						
	/ LG / Sony.							
	Supply and							
	installation o	of						
	19" 6U rack							
	Specification	1						
	a.Fully Load							
	Power Strip,							
	Fans, Cable g	guide						
	b.Box - Meta	.1						
	powder coate	he						
8.	body	No	03					
	c.Wall							
	Mountable -							
	Wall mounta							
	with sufficie							
	space for Sw							
	& LIU place							
	Brand – APV	V U /						
	Rittal or							
	equivalent.	Annual Maint	enance Co	ontract (AMC) fo	the above item	ns for 6 th ve	<u> </u> ar	
9		- minuai maili	Chance C			115 101 0 yc		
10		Annual Maint	enance Co	ontract (AMC) fo	r the above iten	ns for 7 th ye	ar.	
10								

TOTAL RS.

Sd./-Joint Manager (Elect.)