# THE ODISHA STATE POLICE HOUSING & WELFARE CORPORATION LTD. JANPATH, BHUBANESWAR-22. Tel: 0674 2541545; Fax: 0674 2541543; E-mail: jmelectricalophwc@gmail.com Web: ophwc.nic.in BID REFERENCE NO: - 17/2015-16/ELECT/OPHWC SCHEDULE OF TENDER FOR EXTERNAL ELECTRIFICATION WORK OF RESIDENTIAL & NON-RESIDENTIAL BUILDING INSIDE THE RESERVE POLICE OFFICE CAMPUS PREMISES AT TARTUA IN THE DIST. OF KHURDA. **SOLD TO :** M/S \_\_\_\_\_ MONEY RECEIPT NO:\_\_\_\_\_ **DATE:** \_\_\_\_\_ [SIGNATURE OF ISSUING OFFICER]

## THE ODISHA STATE POLICE HOUSING & WELFARE CORPORATION LTD. JANPATH, BHUBANESWAR-22.

Tel: 0674 2541545; Fax: 0674 2541543; E-mail: jmelectricalophwc@gmail.com Web: ophwc.nic.in

## TENDER CALL NOTICE BID REFERENCE NO: - 17/ 2015-16/ELECT/ OPHWC

1. Sealed tender in the prescribed form with detailed Tender Call Notice for execution of external electrification and Area illumination work of different projects are invited in single cover system from the enlisted H.T. / M.V.( M.V. Contractors only participated with Area illumination works) electrical contractors/Firms under O.P.H.W.C., Bhubaneswar including supply of materials as per the specification. Tender to be submitted separately for each project.

Sl.No	Name of the Project	Estimated Cost	EMD	Cost of tender paper including vat	Period of complet ion	Eligibility Range
1	External electrification work of 1-D,2-E & 4-F type Staff Qtr. at Burla Fire Station in the Dist. of Sambalpur.	Rs.5,34,107.00	Rs.5,341.00	Rs.4,200.00	45 days	Up to 10 lakh & above
2	External electrification work of SDPO Chikiti in the Dist. of Ganjam.	Rs.4,51,153.00	Rs.4,512.00	Rs.2,100.00	45 days	Up to 10 lakh & above
3	External electrification work of Out Post Building at Pahala in the Dist. of Khurda.	Rs.6,30,532.00	Rs.6,305.00	Rs.4,200.00	45 days	Up to 10 lakh & above
4	External electrification work of SDPO R.Udayagiri in the Dist. of Gajapati.	Rs.4,88,210.00	Rs.4,882.00	Rs.2,100.00	45 days	Upto 10 lakh & above
5	Area Illumination work of M.Rampur Police Station in the Dist. of Kalahandi.	Rs.7,17,150.00	Rs.7,172.00	Rs.4,200.00	45 days	Upto 10 lakh & above
6	Area Illumination work at fortification of Th.Rampur Police Station in the Dist. of	Rs.9,54,550.00	Rs.9,546.00	Rs.4,200.00	45 days	Upto 10 lakh & above

	Kalahandi.					
7	Area Illumination work of Logistic support to CPMF for Cost. Of 100 Men-Pre Engg. Structure at Srirampur in the dist. of Kandhamal.	Rs.2,92,870.00	Rs.2,929.00	Rs.2,100.00	45 days	Upto 10 lakh & above
8	Area Illumination work of Logistic support to CPMF for Cost. Of 100 Men-Pre Engg. Structure at Balandapada Out Post in the dist. of Kandhamal.	Rs.3,21,400.00	Rs.3,214.00	Rs.2,100.00	45 days	Upto 10 lakh & above
9	Area Illumination work of Gochhapada Police Station in the dist. of Kandhamal.	Rs.7,49,650.00	Rs.7,497.00	Rs.4,200.00	45 days	Upto 10 lakh & above
10	Area Illumination work of Paralakhemundi Model Police Station in the Dist. of Gajapati.	Rs.3,77,400.00	Rs.3,774.00	Rs.2,100.00	45 days	Upto 10 lakh & above
11	Area Illumination work of Kashinagar Model Police Station in the Dist. of Gajapati.	Rs.2,17,400.00	Rs.2,174.00	Rs.2,100.00	45 days	Upto 10 lakh & above
12	External electrification work of 1-D,2-E & 6-F type Staff Qtr. at Barkote Fire Station in the Dist. of Deogarh.	Rs.5,48,390.00	Rs.5,484.00	Rs.4,200.00	45 days	Upto 10 lakh & above
13	External electrification work of 6-F type Qtr. at 3 <sup>rd</sup> . SSBN., Gajapati.	Rs.5,26,899.00	Rs.5,269.00	Rs.4,200.00	45 days	Upto 10 lakh & above

14	Area Illumination work CPMF in 100 Barrack Pre Engg. Structure at Tanarada in the Dist. of Gajapati.	Rs.3,62,700.00	Rs.3,627.00	Rs.2,100.00	45 days	Upto 10 lakh & above
15	External electrification work of Residential & Non-residential buildings at Reserve police office campus at Tartua in the Dist. of Khurda.(2 Nos. of 6-F, 4-E,6-E type Qtr. & 3 Nos. of 100 Men Barrack)	Rs.19,22,418.00	Rs.19,224.00	Rs.6,300.00	45 days	10 lakh above
16	DG Power Supply (125 KVA) to Prisons Directorate Building at Bhubaneswar.	Rs.5,13,845.00	Rs.5,138.00	Rs.4,200.00	45 days	Upto 10 lakh & above

The tender document may be obtained on payment of the tender paper cost as mentioned in the 2. Column – 5 of the above table [Non refundable] for each project between 10.00 A.M. to 05.00 P.M on each working day from the office of the undersigned at the Address given above of O.S.P.H.&WC at Bhubaneswar on or before Dt. 02/12/2015 .Tender document can also be obtained through speed post by sending a self addressed envelope of size 35 cm x 25 cm along with a Demand Draft / Pay Order of the tender paper cost as mentioned in the Column – 5 of the above table and Rs. 200.00 (Rupees two hundred only ) extra for purchased by post[Non refundable] for each project on any scheduled Bank, payable at Bhubaneswar, drawn in favour of the "The Odisha State Police Housing & Welfare corporation Ltd.". However, such request must be received by the undersigned on or before the last date for issue of tender document. The O.S.P.H.&W.C. authorities shall not be responsible for postal or other delays. The tender document will also be available from the web site www.ophwc.nic.in and the same can be downloaded to be used for tender offer. However in case of downloaded tender documents an amount of the tender paper cost as mentioned in the Column - 5 of the above table [Non refundable] for each project in shape of Demand Draft / Pay Order drawn on any scheduled Bank, is payable at Bhubaneswar in favour of the "The Odisha State Police Housing & Welfare Corporation Ltd." along with the tender, failing which tender shall be liable for rejection.

- 3.The bidders are requested to submit the receipt of showing cost of tender paper along with the attested copies of valid H.T./MV license from ELBO, Income tax return copy, PAN, TIN, up to date VAT clearance certificate along with bid documents otherwise the bid shall be liable for rejection.
- 4. EMD The tender shall be accompanied with EMD as mentioned above in shape of D.D. / Pay order drawn on any Nationalized Bank in favour of the "The Odisha State Police Housing &Welfare corporation Ltd.", failing which the tender shall be rejected.
  - 5. Other details can be seen in the tender documents.
- 6. Bids submitted otherwise than in the manner prescribed in the tender document shall be rejected.
- 7. The bidding document should be super scribed "Tender for external electrification works, Tender No., Name of the Project etc." / "Tender for area illumination works, Tender No., Name of the Project etc."
- 8. The tender document is available from :10 AM on Dt.20.11.2015
- 9. Last date for issue of tender document is up to: 05.00 PM on Dt.02.12.2015
- 10. Last date for receipt of tender document is up to: 12.30 PM on Dt.05.12.2015
- 11. Date of opening of bid at : 03.30 PM on Dt.05.12.2015
- 12. The authority reserves the right to reject any or all the bids without assigning any reason thereof.
- 13. An affidavit is to be furnish by the bidder at the time of submitting bid document that he is not blacklisted / defaulter contractor or Firm etc. The authority reserves the right to reject any or all the bids without assigning any reason thereof and can impose any conditions as deemed proper before finalisation of tender.

Sd/-Joint Manager (Elect.)

## GENERAL CONDITION OF THE CONTRACT BID REFERENCE NO: - 17/ 2015-16 /ELECT/ OPHWC

- The tender document shall be accompany with the EMD as above only in shape of Demand Draft / Pay Order drawn on any Nationalized Bank payable at Bhubaneswar in favour of the "The Odisha State Police Housing & Welfare Corporation Ltd." failing which the tender shall be rejected.
- 2. The bidders are requested to submit the receipt of showing cost of tender paper along with the attested copies of valid H.T. license from ELBO, Income tax return copy,PAN, TIN, up to date VAT clearance certificate and VAT registration certificate along with bid documents otherwise the bid shall be liable for rejection. The latest authenticated documentary proof shall be submitted. The proof submitted earlier in some other contest shall not be treated as valid and sufficient.
- 3. The bid must accompany proof of executing same nature of work as per eligibility criteria mentioned in tender call notice in Govt. / Govt. Undertaking. Departments. The copy of work order and completion certificates in support of credential should be enclosed with the tender otherwise the bid shall be rejected.
- 4. The bidding document should be super scribed "Tender for external electrification works, Tender No., Name of the Project etc." / "Tender for area illumination works, Tender No., Name of the Project etc."
- 5. The tenders (also called bids) not submitted in prescribed format or in prescribed manner, shall be rejected at the risk and responsibility of bidder.
- 6. All the information as called for in the tender document should be submitted truly, clearly, legible, transparently, unambiguously and without the use of abbreviations. It shall be submitted in English only.
- 7. All the crucial figures, like rates and amount should be written in figures followed by words in a bracket.
- 8. There shall be no over writing in the tender document and other papers submitted. All additions, alternations, deletions and cutting should be initialed with rubber-stamp (or seal) by the same person, who signs the tender document, failing which so, the tender may be rejected.
- All the rates and amounts shall be quoted in Indian Rupee and shall be presumed to be in Indian Rupee only unless specifically permitted to be quoted otherwise in this tender document.

- 10. Each page of this tender document should be signed by the bidder with seal in token of having read, understood and accepted the terms and conditions of this contract.
- 11. Use separate piece of paper where the space provided in the formats in this tender document for submission of information is not sufficient.
- 12. The contractor shall stand for guarantee against defective materials / manufacturing defects(except lamp in case of Area illumination work) and workmanship for the work carried out by him for a period of 24 months from its commissioning /handing over & make good /repair/replace the faults during this period without any extra cost, failing which the same shall be got done at the risk and cost of the contractor. The work shall be supervised by the qualified supervisor from the contractor's side.
- 13. All information submitted or supplied in the formats of this tender document shall be presumed to be true to the best of knowledge of bidder.
- 14. The firms not having VAT Registration certificate shall not be eligible for submitting the bids. The blacklisted firms shall also not be eligible for participating in the bid.
- 15. The tenders/bids can be sent by post or courier as well. However, authorities shall not be responsible for postal or delays in receipt of bids.
- 16. If the last date for receipt of the tender/bid turns out to be a holiday, it will automatically be extended to next working day.
- 17. A bid submitted can not be withdrawn. The bidder or his authorized representative (one person only) will be allowed to be present at the time of opening of tenders. They will not participate in the discussions. Clarification sought, if any may be provided by them.
- 18. All or any of the tenders /bids submitted can be rejected without assigning any reason thereof. No claim, whatsoever, shall be admissible for the alleged loss/damages suffered by bidders on account of such rejections.
- 19. Bids shall be opened in the presence of the bidders or their authorized representative.
- 20. Prices quoted for each item shall be inclusive of all i:e. taxes and duties, excise duty, service taxes, loading, unloading, transportation, insurance, watch and ward etc.
- 21. Advance payment /part payment will not be entertained before completion and handing over the work.
- 22. No claim can be made due to some unforeseen delay for release of payment.
- 23. Payment of bill will be made only after completion of the work in all respects i.e. commissioning, testing, inspection of work by the electrical inspector, execution of agreement between user authority and distribution Company authority before charging of

sub station / Line and handed over the work to the distribution Company. In case of Area Illumination Work payment of bill will be made only after completion of the work in all respects i.e. commissioning, testing and handed over the work to the user authority.

- 24. All the transit risk shall be responsibility of the contractor.
- 25. Failure to complete the work in full within the stipulated period may lead to forfeiture of EMD and blacklisting of the contractor/firm.
- 26. The authorities are not bound to accept the lowest quoted rate.
- 27. Terms and conditions of this tender document cannot be negotiated for variations.
- 28. The authority reserves the right to reject any or all tender in whole or part without assigning any reason and can impose any other condition(s) as deemed proper before or in course of finalisation of the tender.
- 29. The approved tender may be cancelled by the authority any time during validity without assigning any reason thereof and no claim can lie against OPHW&C for such cancellation.
- 30. All materials required for the work should be approved brand of the concerned Distribution company / OPHWC as per the given specification and brand. Before take up the work
  - A.P.M (Electrical) shall verify/ certify the quality of materials.
- 31. Before installation of the transformer E&MR certificate shall be submitted along with CPRI certificate and guarantee certificate of the transformer shall be submitted.
- 32. LT bushing cover and tap changer shall be provided.
- 33. All the disputes shall be subject to Jurisdiction of Civil Courts situated at Bhubaneswar.

Signature & seal of the Bidder.

Sd/-Joint Manager (Elect.)

### GENERAL BID FORM BID REFERENCE NO: - 17/ 2015-16/ELECT/ OPHWC

1.Name:
Full Address:
Fax No:
Telephone No:
E-mail address of the firm: 2.Legal Status of the firm:
3. Give the location and Address of your Office/ Branch office:
<b>4.</b> Kindly confirm by writing" Yes" of "No" only
[A] Have you enclosed the EMD? If yes, mention the amount and its identifying details.
[B] Have you enclosed the valid H.T./ M.V. License?
[C] Have you enclosed the VAT clearance certificate?
[D] Have you enclosed the PAN card?
[E] Have you enclosed the audited balance sheet?
[F] Copies of assessment return of sales tax and income tax of last three years.
[G] Have you enclosed all the documents and papers called for in this tender document?
Kindly enclose a list. (Use a separate sheet of paper)
[H] If the answer to [G] above is 'No', which of the Documents / papers called for in the tender document have not enclosed.
(Kindly enclose a list of such document/papers – Use separate Sheet of paper, if necessary)

Sd/-Joint Manager (Elect.)

Signature & seal of the Bidder.

### OFFICE OF THE CHAIRMAN-CUM- MANAGING DIRECTOR.

# ODISHA STATE POLICE HOUSING & WELFARE CORPORATION LTD., BHUBANESWAR. BILL OF QUANTITY

#### TENDER NO.- 17/2015-16/ ELECT/OPHWC

NAME OF THE WORK: EXECUTION OF EXTERNAL ELECTRIFICATION WORKS FOR POWER SUPPLY TO RESIDENTIAL & NON-RESIDENTIAL BUILDING INSIDE THE RESERVE POLICE OFFICE CAMPUS PREMISES AT TARTUA IN THE DIST. OF KHURDA.(2 Nos of 6-F,6-E,4-E, & 3 Nos. of 100 Men Barrack)

Sl. No.	NAME OF THE PROJECT	SCOPE OF WORK	QUOTED RATE INCLUSIVE OF ALL IN FIGURE & WORD	QUOTED AMOUNT INCLUSIVE OF ALL IN FIGURE & WORD
		I. Construction of 3 ph 3 wire 11 KV OH line using 10 mtr. Long 100X116 mm RS Joist with 55 sq. mm AAA Conductor-0.5 KM (Avg. span Length-30 Mtr.)		
1	RESIDENTIAL & NON- RESIDENTIAL BUILDING INSIDE THE RESERVE POLICE OFFICE CAMPUS	II. Installation of 100 KVA (Dismentaled transformer) 11/0.4KV Plinth mounted sub station using 9 Mtr. Long 100x116 mm RS Joist alongwith Barbed fencing (15'x10') with construction of retaining wall, erection of RCC fencing post, Grill gate. ,Sand and metal spreading - 1 No.		
	PREMISES AT TARTUA IN THE DIST. OF KHURDA.( 2 Nos of 6-F,6-E,4-E, & 3 Nos. of 100 Men Barrack)	III. Upgradation of S/S capacity from 100 KVA 11/0.4 KV to 250 KVA ,11/0.4 KV Transformer alongwith Barbed fencing (15'x10') with construction of retaining wall , erection of RCC fencing post, Grill gate. ,Sand and metal spreading -1 No.		
		IV. Construction of 3ph 5 W LT Line using 8 mtr. long 200 KG PSC Pole with 3x70+1x35+1x25 sq.mm AB cable -0.8 KM		

V. Construction of 1ph 2 W LT Line using 1x35+1x25 sq.mm AB cable with proposed11 KV Line (For Street Light) -0.5 KM	
VI.Dismentaling of LT Line of 3x50+1x35 sq.mm AB cable -0.27 KM(9 span)	

Seal & Signature of the Contractor

Sd/-**Asst. Project Manager (Elect.)** 

Sd/I/C Elect. (Hqr.)

# OFFICE OF THE CHAIRMAN-CUM- MANAGING DIRECTOR. ODISHA STATE POLICE HOUSING & WELFARE CORPORATION LTD., BHUBANESWAR.

### **BILL OF QUANTITY**

### TENDER NO.- 17/2015-16/ ELECT/OPHWC

NAME OF THE WORK: EXECUTION OF EXTERNAL ELECTRIFICATION WORKS FOR POWER SUPPLY TO RESIDENTIAL & NON-RESIDENTIAL BUILDING INSIDE THE RESERVE POLICE OFFICE CAMPUS PREMISES AT TARTUA IN THE DIST. OF KHURDA.(2 Nos of 6-F,6-E,4-E, & 3 Nos. of 100 Men Barrack)

SCOPE [A]	I. Construction of 3 ph 3 wire 11 KV OH line using 10 mtr. Long 100X116 mm RS Joist with 55 sq. mm AAA Conductor-0.5 KM (Avg. span Length-30 Mtr.)			
SCOPE [B]	II. Installation of 100 KVA (Dismentaled transformer ) 11/0.4 station using 9 Mtr. Long 100x116 mm RS Joist alongwith Ba construction of retaining wall , erection of RCC fencing post, spreading -1 No.	arbed fencing	(15'x10') with	
SCOPE [C]	III. Upgradation of S/S capacity from 100 KVA 11/0.4 KV to Transformer alongwith Barbed fencing (15'x10') with constrerection of RCC fencing post, Grill gate. ,Sand and metal spre	uction of retai		
SCOPE [D]	IV. Construction of 3ph 5 W LT Line using 8 mtr. long 200 3x70+1x35+1x25 sq.mm AB cable -0.8 KM	KG PSC Pole	with	
SCOPE [E]	V. Construction of 1ph 2 W LT Line using 1x35+1x25 sq.mm AB cable with proposed11 KV Line (For Street Light) -0.5 KM			
SCOPE [F]	VI.Dismentalling of LT Line of 3x50+1x35 sq.mm AB cable -0.27 KM(9 span)			
Sl no	<b>Description of Meterials</b>	Unit	Qty	
SCOPE [A]	I. Construction of 3 ph 3 wire 11 KV OH line using 10 mtr. L with 55 sq. mm AAA Conductor-0.5 KM (Avg. span Length-3		mm RS Joist	
SCOPE [C]	III. Upgradation of S/S capacity from 100 KVA 11/0.4 KV to Transformer alongwith Barbed fencing (15'x10') with construction of RCC fencing post, Grill gate. ,Sand and metal spread	uction of retai		
SL. NO.	Description of Materials	Unit	Qty	
1	100x116mm RS Joist 10mtr long 230 kg	No.	17	
2	250Kva,11/0.4Kv TFR	No.	1	
3	Plinth for TFR 6ft height(below GL2ft)x5ftx5ft	No.	1	
4	LT distribution box for 25KVA DTR including Kit Kat fuse	No.	1	

5	3 1/2 x 300mm2 PVC cable for I/C (1no) 250 KVA TFR	Mtr	12
6	3 1/2 x 300mm2 PVC cable for O/G (1no) 250 KVA TFR	Mtr	40
7	11KV "V" Cross arm(10.2kg/each	No.	15
8	Top bracket 75x40mm MS channel(1.3Kg/each)	No.	15
9	11KV HG fuse	Set	1
10	11KV LA 12KV-10KA	No.	3
11	11 KV Pin Insulator	No.	50
12	11KV G.I .Pin	No.	50
13	11 KV Dics Insulator (T&C) Polymer	No.	36
14	11 KV Hardware Fitting (T&C)	Set	18
15	100 x 50x 6 mm ,Channel for Cut point .3nos	Kg	90
16	GI Barbed wire anticlimbing device 2Kg per support	Kg	34
17	11KV AB switch 3 Pole (400 Amp)	Set	1
18	H.T Stay set (Complete )	Set	4
19	Stay Insulator	Set	4
20	Stay Clamp	Set	4
21	7/10 GI Stay Wire	Kg	40
22	Earthing for support(coil type)	No.	17
23	55mm2 AAAC conductor	Km	1.6
24	25x6mm GI Flat for earthing	Kg	30
25	40x6mm GI Flat for nutral	Kg	20
26	Fixing and concreting of stay set with 0.5Cum cement concret foundation 1:3:6 size(900mmx600mmx900mm) using 40mm BHG metal with all labour and material except stay set, stay wire, stay insulator.	No.	4

27	Concreeting of support C.C-1:4:8 using 40mm BHG metal size-5'x2'x2'=20CFT = 0.570Cum Padding 900x600x150mm = <u>0.081</u> = 1904.17 each 0.651Cum x 2925	No.	17
28	Couping of support section 15"x15" (3.9 Cft) height 2'-6' (1'-6' above G.L & 1'-0' below G.L) in C.C 1:2:4 using 12mm BHG metal & curring for 5 days.	No.	17
29	Red Oxide paint	Ltr	10
30	Allm Paint	Ltr	10
31	Black Paint	Ltr	5
32	GI Pipe Earthing 40 dia Medium gauge 3mtrs Long	No.	5
33	Materials for Massionary work for earth Pit, Charcoal, Salt etc including construction of earthing chamber (size 2"x2") and RCC slab cover	No.	5
34	MS nut,Bolt & washer	No.	50
35	Barbed Fencing(SIZE 15'X10')with construction of retaining wall erection of RCC fencing post,Sand filling and metal spreading Fixing of Iron grill gate etc as per CESU specification	No.	1
36	Sundries for survey tree cutting, small size nut bolt, Allm, Binding wire/ tape & Danger Board 4 nos.	Ls	
SCOPE [B]	II. Installation of 100 KVA (Dismetalled transformer ) 11/0.4 station using 9 Mtr. Long 100x116 mm RS Joist alongwith Ba construction of retaining wall, erection of RCC fencing post, spreading -1 No.	arbed fencing	(15'x10') with
SL. NO.	Description of Materials	Unit	Qty
1	100x116mm RS Joist 9mtr long x 2nos x 23kg=414kg	No.	414
2	100x50x6mm MS channel	K.g	104
3	Channel 75x40x6	K.g	90
4	50x50x5mm MS angle (4.45kg/mtr)	K.g	30

5	Transformer belting Angle 50x50x6 mm- 2.8 mtr. Long 2 nos.(4.5 K.g per mtr) with side angle (Total 7 mtr.)	K.g	32
6	50x50x6mm MS angle	K.g	22.5
7	11KV AB switch 3 Pole (200Amp)	Set	1
8	11KV HG fuse 3 Pole (400Amp)	No.	1
9	11KV LA 12KV-10KA	No.	3
10	HT Stay set (complete)	Set	2
11	HT Stay Insulator	No.	2
12	H.T Stay Clamp(1.95 K.g/Pair)	Pair	2
13	7/10 SWG Saty wire	K.g	20
14	GI Pipe earthing 40 Dia Medium gage 3 mtrs. Long	No.	5
15	25x6mm GI Flat for Earthing	K.g	30
16	40x6mm GI Flat for nutral	K.g	20
17	Fixing and stay set with 0.5Cum cement concret foundation 1:3:6 size(900mmx600mmx900mm) using 40mm BHG metal with all labour and material except stay set, stay wire, stay insulator.	No.	2
18	Concreeting of support C.C-1:4:8 using 40mm BHG metal size-5'x2'x2'=20CFT = 0.570Cum Padding 900x600x150mm = <u>0.081</u> = 1904.17 each 0.651Cum @ 2925	No.	2
19	Couping of support section 15"x15" (3.9 Cft) height 2'-6' (1'-6' above G.L & 1'-0' below G.L) in C.C 1:2:4 using 12mm BHG metal & curring for 5 days.	No.	2
20	Materials for Massionary work for earth Pit, Charcoal, Salt etc including construction of earthing chamber (size 2"x2") and RCC slab cover	No.	5

21	55mm2 AAAC	Km	0.04
22	Red Oxide paint	Ltr	3
23	Allm Paint	Ltr	4
24	Black Paint	Ltr	0.5
25	MS nut,Bolt & washer	K.g	36
26	LT distribution box including Kit Kat fuse with MCCB for 100 KVA S/S	No.	1
27	Plinth for TFR 6ft height(below GL2ft)x5ftx5ft	No.	1
28	31/2 x 150mm2 PVC cable for 100 KVA TFR	Mtr	25
29	Barbed Fencing(SIZE 15'X10') with construction of retaining wall erection of RCC fencing post, Sand filling and metal spreading Fixing of Iron grill gate etc as per CESU specification	No.	1
	Complete Company DVC to an America to an		
30	Sundries for survey, PVC tape, Ampire tape, Danger Board, Small size nut & Bolt preparation of drawing etc.	Ls	1
30 SCOPE [D]	Danger Board, Small size nut & Bolt preparation		
SCOPE [D] SCOPE	Danger Board, Small size nut & Bolt preparation of drawing etc.  IV. Construction of 3ph 5 W LT Line using 8 mtr. long 200 l	KG PSC Pole	with
SCOPE [D] SCOPE	Danger Board, Small size nut & Bolt preparation of drawing etc.  IV. Construction of 3ph 5 W LT Line using 8 mtr. long 200 I 3x70+1x35+1x25 sq.mm AB cable -0.8 KM  V. Construction of 1ph 2 W LT Line using 1x35+1x25 sq.mm	KG PSC Pole	with
SCOPE [D] SCOPE [E]	Danger Board, Small size nut & Bolt preparation of drawing etc.  IV. Construction of 3ph 5 W LT Line using 8 mtr. long 200 I 3x70+1x35+1x25 sq.mm AB cable -0.8 KM  V. Construction of 1ph 2 W LT Line using 1x35+1x25 sq.mn proposed11 KV Line (For Street Light) -0.5 KM	KG PSC Pole	with
SCOPE [D] SCOPE [E]	Danger Board, Small size nut & Bolt preparation of drawing etc.  IV. Construction of 3ph 5 W LT Line using 8 mtr. long 200 I 3x70+1x35+1x25 sq.mm AB cable -0.8 KM  V. Construction of 1ph 2 W LT Line using 1x35+1x25 sq.mm proposed11 KV Line (For Street Light) -0.5 KM  200 Kg. 8 mtr long PSC pole  Concrete slab for base plate size 2ft x 2ft x 2"	KG PSC Pole  AB cable w  No.	with ith 30
SCOPE [D] SCOPE [E] 1	Danger Board, Small size nut & Bolt preparation of drawing etc.  IV. Construction of 3ph 5 W LT Line using 8 mtr. long 200 I 3x70+1x35+1x25 sq.mm AB cable -0.8 KM  V. Construction of 1ph 2 W LT Line using 1x35+1x25 sq.mm proposed11 KV Line (For Street Light) -0.5 KM  200 Kg. 8 mtr long PSC pole  Concrete slab for base plate size 2ft x 2ft x 2" thickness for each pole	KG PSC Pole  AB cable w  No.	with  ith  30  30
SCOPE [D] SCOPE [E] 1 2	Danger Board, Small size nut & Bolt preparation of drawing etc.  IV. Construction of 3ph 5 W LT Line using 8 mtr. long 200 I 3x70+1x35+1x25 sq.mm AB cable -0.8 KM  V. Construction of 1ph 2 W LT Line using 1x35+1x25 sq.mm proposed11 KV Line (For Street Light) -0.5 KM  200 Kg. 8 mtr long PSC pole  Concrete slab for base plate size 2ft x 2ft x 2" thickness for each pole  LT Stay set complete	No.  No.	with  30  30  4
SCOPE [D] SCOPE [E] 1 2 3 4	Danger Board, Small size nut & Bolt preparation of drawing etc.  IV. Construction of 3ph 5 W LT Line using 8 mtr. long 200 I 3x70+1x35+1x25 sq.mm AB cable -0.8 KM  V. Construction of 1ph 2 W LT Line using 1x35+1x25 sq.mm proposed11 KV Line (For Street Light) -0.5 KM  200 Kg. 8 mtr long PSC pole  Concrete slab for base plate size 2ft x 2ft x 2" thickness for each pole  LT Stay set complete  7/12 SWG GI Stay wire	No.  No.  Kg	with  ith  30  30  4  40
SCOPE [D] SCOPE [E]  1 2 3 4 5	Danger Board, Small size nut & Bolt preparation of drawing etc.  IV. Construction of 3ph 5 W LT Line using 8 mtr. long 200 I 3x70+1x35+1x25 sq.mm AB cable -0.8 KM  V. Construction of 1ph 2 W LT Line using 1x35+1x25 sq.mm proposed11 KV Line (For Street Light) -0.5 KM  200 Kg. 8 mtr long PSC pole  Concrete slab for base plate size 2ft x 2ft x 2" thickness for each pole  LT Stay set complete  7/12 SWG GI Stay wire  Stay Clamp	No. No. Kg Pair	with  30  30  4  40  4
SCOPE [D] SCOPE [E]  1 2 3 4 5 6	Danger Board, Small size nut & Bolt preparation of drawing etc.  IV. Construction of 3ph 5 W LT Line using 8 mtr. long 200 I 3x70+1x35+1x25 sq.mm AB cable -0.8 KM  V. Construction of 1ph 2 W LT Line using 1x35+1x25 sq.mn proposed11 KV Line (For Street Light) -0.5 KM  200 Kg. 8 mtr long PSC pole  Concrete slab for base plate size 2ft x 2ft x 2" thickness for each pole  LT Stay set complete  7/12 SWG GI Stay wire  Stay Clamp  LT Stay Insulator  Fixing and stay set with 0.5Cum cement concret foundation 1:3:6 size(900mmx600mmx900mm) using 40mm BHG metal with all labour and	No.  No.  Kg Pair No.	with  ith  30  4  40  4  4

10	Suspension clamp with I hook	No.	45
11	1x35+1x25mm2 AB Cable	Km	0.52
12	(3x50+1x35+1x16)mm2 size LT A.B cable	Km	0.85
13	Earthing Coil each 5th pole to earth	No.	6
14	Sundries for survey,tree cutting,insulated tape,binding wire etc	Ls	

**Seal & Signature of the Contractor** 

Sd/-Asst. Project Manager (Elect.)

Sd/-I/C Elect. (Hqr.)