

**TENDER INVITING AUTHORITY: JOINT MANAGER (ELECTRICAL DIVISION), THE ODISHA STATE POLICE
HOUSING & WELFARE CORPORATION LTD, BHUBANESWAR**

**NAME OF THE WORK :REPAIR & RENOVATION OF ELECTRICAL WORKS OF ROOM NO -23, 24, 25, 26, 27 & 28 IN OLD COMPLEX AT
STATE GUEST HOUSE, BHUBANESWAR.**

BID REF NO.- 34/JM/ELECT/OPHWC/2018-19

Bidder Name

SCHEDULE OF WORKS

Sl. No.	Description of work	Unit	Qty.	Estimated Cost in Rs.	
				RATE IN RS.	AMOUNT IN RS.
I.	ROOM NO -23				
A	INTERNAL WIRING & FIXTURE				
1	Recessed wiring to Different Points with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)				
(a)	Foot Night Lamp Point	Nos	1.00	748.03	748.03
(b)	Reading Lamp Point	Nos	2.00	748.03	1,496.06
(c)	Call Bell Point/Display Call Bell Point	Nos	2.00	898.78	1,797.56
(d)	Television Point	Nos	1.00	1,389.54	1,389.54
(e)	Telephone Point	Nos	1.00	725.69	725.69
(f)	Wardrobe light Point	Nos	2.00	748.03	1,496.06
(g)	Ceiling Light Point	Nos	8.00	756.91	6,055.28
(h)	Mirror Light Point	Nos	2.00	748.03	1,496.06

2	Recessed wiring to Ceiling Fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	756.91	756.91
3	Supply of 2' Down Rod	Nos	1	67.85	67.85
4	supply of Step type Mini electronics Regulator	Nos	1	249.61	249.61
5	Recessed wiring to Exhaust fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	756.91	756.91
6	Point wiring for 5/ 6 amp socket outlet with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	3	465.43	1,396.29

7	Point wiring for 5/ 6 amp socket outlet (Separate) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	7	657.74	4,604.18
8	Point wiring for 5/ 6 amp socket outlet (Table Lamp Point) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	657.74	657.74
9	Point wiring for 15/16 amp socket outlet(AC Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	909.40	909.40

10	Point wiring for 15/16 amp socket outlet(Gyser Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	909.40	909.40
11	Recessed wiring to submain in 2 x 2.5 sqmm FR PVC insulated single core multistarnd copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required from BDB to Swich board & Computer Points(Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Mtr	60	113.80	6,828.00
12	Recessed wiring to submain in 2 x 4 sqmm FR PVC insulated single core multistarnd copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required (Make of wire Finolex / L &T / Anchor / Havels/ V guard) (CSR SL .No- 1.8.3)	Mtr	40	130.98	5,239.20
13	Supply and fixing of 15 wt. LED Down lighter on False ceiling with White Power quoted CRCA Ring, with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-BAJAJ, CODE-BZSLO-111221 / MAKE-HAVELLS, MODEL-ENDURA DL 15 LED NEO 6000K, CODE-LHEBJNP7IN1W015 / MAKE-PASOLITE, CODE-LDL-013 /	Nos	8	1,817.00	14,536.00

14	Supply and fixing of 4 wt. Surface/ Recessed LED light fitting (for Wardrobe) with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-havells/cg	Nos	2	412.21	824.42
15	Supply and fixing of over door light unit (3 wt.) with lamp , connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-legrand code-572453	Nos	1	393.54	393.54
16	Supply and fixing of MINI DECORATIVE MIRROR LIGHT COMPLETE SET WITH 9 WT. LED, MAKE – CROMPTON, / MAKE-PHILIPS,/ MAKE-WIPRO and connections as per instruction of Electrical Engineer-in-charge.	Nos	2.00	477.55	955.10
17	Supply and fixing of 1200 mm sweep AC Decorative ceiling fan with 5 star rated connecting wire and all accessories refer to catalouge No - MAKE – KHAITAN MODEL –MAGNATE GRAND DLX / MAKE-USHA [WHITE/BROWN/IVORY] MODEL-TECHNIX DECO/ MAKE-CROMPTON [PEARL/AQUA GOLD / CHILLY GOLD], MODEL-HS DECORA PLUS etc. including hanging and connections as per instruction of Electrical Engineer-in-charge.	Nos	1	2,138.51	2,138.51
18	Supply and fixing of 250 MM.(10") SWEEP AC EXHAUST FAN [DOMESTIC] PLASTIC BODY WIRH LOUVERS [BROWN / WHITE] .MAKE – KHAITAN, MODEL –VENTO / MAKE-USHA, MODEL-CRISPAIR / MAKE-CROMPTON, MODEL-BRISKAIR.including fixing and connections as per instruction of Electrical Engineer-in-charge.	Nos	1	1,794.00	1,794.00
19	Supply and fixing of Call Bell/buzzer ISI marked suitable for DC/AC single phase 230 volts complete as required .	Nos	1	103.99	103.99
20	Supply and fixing of Modular Display Calling Bell (Anchor Roma/Legrand) including all accessories & connection as per instruction of Electrical Engineer-in-charge.	Nos	1	1,094.47	1,094.47

21	Supply and fixing of LED Table Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge. Make- Philips Taffi 71661/31 3.6/ Crompton/ Wipro	Nos	1.00	1,385.13	1,385.13
22	Supply and fixing of 3 wt. LED Reading Wall Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge.. Make- Philips / Crompton/ Wipro	Nos	2.00	1,623.35	3,246.70
23	Supply & Fixing of 400 mm Wall Fan of approved make complete with connections, testing and commissioning including all other materials etc. as required . [MAKE – KHAITAN MODEL-MERLIN I / MAKE-USHA / MODEL-MIST AIR ULTRA / MAKE CROMPTON, MODEL-WM HIGH FLO WAVE./LG.]	Nos	1	2,093.00	2,093.00
24	Supply and fixing of 32 AMP. D.P. SWITCH WITH KEY RING TAG-2 MODULE [WHITE] [ANCHOR ROMA], CODE – 21770 including all accessories and connections as per instruction of Electrical Engineer-in-charge.	Nos	1.00	601.22	601.22
25	Supply and installation of 2.0 Tr. Split type Air Conditioner (4 Star rated) of reputed brand with supply and fixing of 6 KVA ,130-280 Volt voltage range wall/floor mounted stabiliser including all accessories, fastner angle copper piping up to 15ft & connections as per instruction of Electrical Engineer-in-charge MAKE of A.C-CARRIER SUPERIA, /MAKE – BLUE STAR, MAKE of STABILIZER-JYOTI/ SHAKTI/ AUTOTAKE	Nos	1	63,767.50	63,767.50
26	Supply & fixing of 15 Ltr. Capacity, 5 star rating PVC body water heater etc. including all accessories and connection as per direction of Engineer in charge . (Make .Bajaj, Havels, USHA)	Nos	1	6,204.25	6,204.25
27	Supply and fixing of 18 way Modular Box with face plate including 3 Nos 32 AMP. D.P. SWITCH & 6Amp Switch & Socket including all accessories and connections as per instruction of Electrical Engineer-in-charge.	Nos	1.00	2,201.13	2,201.13

28	Supply and fixing of 16/18 SWG metal box of following size on surface/recess with suitable size of phenolic laminated sheet cover in front including cutting the wall and making good the same case of recessed conduit as required.				
A	6"x4" G.I board	Nos	2	52.66	105.32
B	8"x6" G.I board	Nos	1	74.93	74.93
29	Supplying and fixing of different size modular GI Box 18 swg with Modular base & cover including all accessories. .				
A	12 module	Nos	1	381.76	381.76
B	8 module	Nos	2	270.11	540.22
C	Blanking Plate	Nos	12	19.61	235.32
II	ROOM NO -24				
A	INTERNAL WIRING & FIXTURE				
1	Recessed wiring to Different Points with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)				-
(a)	Foot Night Lamp Point	Nos	2.00	748.03	1,496.06
(b)	Reading Lamp Point	Nos	2.00	748.03	1,496.06
(c)	Call Bell Point/Display Call Bell Point	Nos	3.00	898.78	2,696.34
(d)	Television Point	Nos	1.00	1,389.54	1,389.54
(e)	Telephone Point	Nos	1.00	725.69	725.69
(f)	Wardrobe light Point	Nos	2.00	725.69	1,451.38
(g)	Ceiling Light Point	Nos	12.00	756.91	9,082.92
(h)	Mirror Light Point	Nos	2.00	748.03	1,496.06

2	Recessed wiring to Ceiling Fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	2	756.91	1,513.82
3	Supply of 2' Down Rod	Nos	2	67.85	135.70
4	supply of Step type Mini electronics Regulator	Nos	2	249.61	499.22
5	Recessed wiring to Exhaust fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	756.91	756.91
6	Point wiring for 5/ 6 amp socket outlet with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	3	465.43	1,396.29

7	Point wiring for 5/ 6 amp socket outlet (Separate) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	10	657.74	6,577.40
8	Point wiring for 5/ 6 amp socket outlet (Table Lamp Point) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	657.74	657.74
9	Point wiring for 15/16 amp socket outlet(AC Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	2	909.40	1,818.80

10	Point wiring for 15/16 amp socket outlet(Gyser Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	909.40	909.40
11	Recessed wiring to submain in 2 x 2.5 sqmm FR PVC insulated single core multistarnd copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required from BDB to Swich board & Computer Points(Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Mtr	90	113.80	10,242.00
12	Recessed wiring to submain in 2 x 4 sqmm FR PVC insulated single core multistarnd copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required (Make of wire Finolex / L &T / Anchor / Havels/ V guard) (CSR SL .No- 1.8.3)	Mtr	90	130.98	11,788.20
13	Supply and fixing of 15 wt. LED Down lighter on False ceiling with White Power quoted CRCA Ring, with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-BAJAJ, CODE-BZSLO-111221 / MAKE-HAVELLS, MODEL-ENDURA DL 15 LED NEO 6000K, CODE-LHEBJNP7IN1W015 / MAKE-PASOLITE, CODE-LDL-013 /	Nos	12	1,817.00	21,804.00

14	Supply and fixing of 4 wt. Surface/ Recessed LED light fitting (for Wardrobe) with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-havells/cg/ philips/ wipro	Nos	2	412.21	824.42
15	Supply and fixing of over door light unit (3 wt.) with lamp , connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-legrand code-572453	Nos	2	393.54	787.08
16	Supply and fixing of MINI DECORATIVE MIRROR LIGHT COMPLETE SET WITH 9 WT. LED, MAKE – CROMPTON, / MAKE-PHILIPS,/ MAKE-WIPRO and connections as per instruction of Electrical Engineer-in-charge.	Nos	2.00	477.55	955.10
17	Supply and fixing of 1200 mm sweep AC Decorative ceiling fan with 5 star rated connecting wire and all accessories refer to catalouge No - MAKE – KHAITAN MODEL –MAGNATE GRAND DLX / MAKE-USHA [WHITE/BROWN/IVORY] MODEL-TECHNIX DECO/ MAKE-CROMPTON [PEARL/AQUA GOLD / CHILLY GOLD], MODEL-HS DECORA PLUS etc. including hanging and connections as per instruction of Electrical Engineer-in-charge.	Nos	2	2,138.51	4,277.02
18	Supply and fixing of 250 MM.(10") SWEEP AC EXHAUST FAN [DOMESTIC] PLASTIC BODY WIRH LOUVERS [BROWN / WHITE] .MAKE – KHAITAN, MODEL –VENTO / MAKE-USHA, MODEL-CRISPAIR / MAKE-CROMPTON, MODEL-BRISKAIR.including fixing and connections as per instruction of Electrical Engineer-in-charge	Nos	1	1,794.00	1,794.00
19	Supply and fixing of Call Bell/buzzer ISI marked suitable for DC/AC single phase 230 volts complete as required .	Nos	1	103.99	103.99

20	Supply and fixing of Modular Display Calling Bell (Anchor Roma/Legrand) including all accessories & connection as per instruction of Electrical Engineer-in-charge.	Nos	1	1,094.47	1,094.47
21	Supply and fixing of LED Table Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge.Make-Philips Taffi 71661/31 3.6/ Crompton/ Wipro	Nos	1.00	1,385.13	1,385.13
22	Supply and fixing of 3 wt. LED Reading Wall Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge..Make-Philips / Crompton/ Wipro	Nos	2.00	1,623.35	3,246.70
23	Supply & Fixing of 400 mm Wall Fan of approved make complete with connections, testing and commissioning including all other materials etc. as required . [MAKE – KHAITAN MODEL-MERLIN I / MAKE-USHA / MODEL-MIST AIR ULTRA / MAKE CROMPTON, MODEL-WM HIGH FLO WAVE./LG.]	Nos	1	2,093.00	2,093.00
24	Supply and fixing of 32 AMP. D.P. SWITCH WITH KEY RING TAG-2 MODULE [WHITE] [ANCHOR ROMA], CODE – 21770 including all accessories and connections as per instruction of Electrical Engineer-in-charge.	Nos	1.00	601.22	601.22
25	Supply and installation of 2.0 Tr. Split type Air Conditioner (4 Star rated) of reputed brand with supply and fixing of 6 KVA ,130-280 Volt voltage range wall/floor mounted stabiliser including all accessories,fastner angle copper piping up to 15ft & connections as per instruction of Electrical Engineer-in-charge MAKE of A.C-CARRIER SUPERIA, /MAKE – BLUE STAR, MAKE of STABILIZER-JYOTI/ SHAKTI/ AUTOTAKE	Nos	1	63,767.50	63,767.50
26	Supply & fixing of 15 Ltr. Capacity, 5 star rating PVC body water heater etc. including all accessories and connection as per direction of Engineer in charge . (Make .Bajaj, Havels, USHA)	Nos	1	6,204.25	6,204.25

27	Supply and fixing of 18 way Modular Box with face plate including 4 Nos 32 AMP. D.P. SWITCH & 6Amp Switch & Socket including all accessories and connections as per instruction of Electrical Engineer-in-charge.	Nos	1.00	2,633.44	2,633.44
28	Supply and fixing of 16/18 SWG metal box of following size on surface/recess with suitable size of phenolic laminated sheet cover in front including cutting the wall and making good the same case of recessed conduit as required.				
A	6"x4" G.I board	Nos	2	52.66	105.32
B	8"x6" G.I board	Nos	1	74.93	74.93
29	Supplying and fixing of different size modular GI Box 18 swg with Modular base & cover including all accessories. .				
A	12 module	Nos	1	381.76	381.76
B	8 module	Nos	2	270.11	540.22
C	Blanking Plate	Nos	12	19.61	235.32
III	ROOM NO 25				
A	INTERNAL WIRING & FIXTURE				
1	Recessed wiring to Different Points with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)				-
(a)	Foot Night Lamp Point	Nos	2.00	748.03	1,496.06
(b)	Reading Lamp Point	Nos	2.00	748.03	1,496.06
(c)	Call Bell Point/Display Call Bell Point	Nos	3.00	898.78	2,696.34
(d)	Television Point	Nos	1.00	1,389.54	1,389.54
(e)	Telephone Point	Nos	1.00	725.69	725.69
(f)	Wardrobe light Point	Nos	2.00	725.69	1,451.38
(g)	Ceiling Light Point	Nos	12.00	756.91	9,082.92
(h)	Mirror Light Point	Nos	2.00	748.03	1,496.06

2	Recessed wiring to Ceiling Fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	2	756.91	1,513.82
3	Supply of 2' Down Rod	Nos	2	67.85	135.70
4	supply of Step type Mini electronics Regulator	Nos	2	249.61	499.22
5	Recessed wiring to Exhaust fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	756.91	756.91
6	Point wiring for 5/ 6 amp socket outlet with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	3	465.43	1,396.29

7	Point wiring for 5/ 6 amp socket outlet (Separate) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	10	657.74	6,577.40
8	Point wiring for 5/ 6 amp socket outlet (Table Lamp Point) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	657.74	657.74
9	Point wiring for 15/16 amp socket outlet(AC Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	2	909.40	1,818.80

10	Point wiring for 15/16 amp socket outlet(Gyser Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	909.40	909.40
11	Recessed wiring to submain in 2 x 2.5 sqmm FR PVC insulated single core multistarnd copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required from BDB to Swich board & Computer Points(Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Mtr	90	113.80	10,242.00
12	Recessed wiring to submain in 2 x 4 sqmm FR PVC insulated single core multistarnd copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required (Make of wire Finolex / L &T / Anchor / Havels/ V guard) (CSR SL .No- 1.8.3)	Mtr	90	130.98	11,788.20
13	Supply and fixing of 15 wt. LED Down lighter on False ceiling with White Power quoted CRCA Ring, with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-BAJAJ, CODE-BZSLO-111221 / MAKE-HAVELLS, MODEL-ENDURA DL 15 LED NEO 6000K, CODE-LHEBJNP7IN1W015 / MAKE-PASOLITE, CODE-LDL-013 /	Nos	12	1,817.00	21,804.00

14	Supply and fixing of 4 wt. Surface/ Recessed LED light fitting (for Wardrobe) with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-havells/cg	Nos	2	412.21	824.42
15	Supply and fixing of over door light unit (3 wt.) with lamp , connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-legrand code-572453	Nos	2	393.54	787.08
16	Supply and fixing of MINI DECORATIVE MIRROR LIGHT COMPLETE SET WITH 9 WT. LED, MAKE – CROMPTON, / MAKE-PHILIPS, / MAKE-WIPRO and connections as per instruction of Electrical Engineer-in-charge.	Nos	2.00	477.55	955.10
17	Supply and fixing of 1200 mm sweep AC Decorative ceiling fan with 5 star rated connecting wire and all accessories refer to catalouge No - MAKE – KHAITAN MODEL –MAGNATE GRAND DLX / MAKE-USHA [WHITE/BROWN/IVORY] MODEL-TECHNIX DECO/ MAKE-CROMPTON [PEARL/AQUA GOLD / CHILLY GOLD], MODEL-HS DECORA PLUS etc. including hanging and connections as per instruction of Electrical Engineer-in-charge.	Nos	2	2,138.51	4,277.02
18	Supply and fixing of 250 MM.(10") SWEEP AC EXHAUST FAN [DOMESTIC] PLASTIC BODY WIRH LOUVERS [BROWN / WHITE] .MAKE – KHAITAN, MODEL –VENTO / MAKE-USHA, MODEL-CRISPAIR / MAKE-CROMPTON, MODEL-BRISKAIR.including fixing and connections as per instruction of Electrical Engineer-in-charge	Nos	1	1,794.00	1,794.00
19	Supply and fixing of Call Bell/buzzer ISI marked suitable for DC/AC single phase 230 volts complete as required .	Nos	1	103.99	103.99
20	Supply and fixing of Modular Display Calling Bell (Anchor Roma/Legrand) including all accessories & connection as per instruction of Electrical Engineer-in-charge.	Nos	1	1,094.47	1,094.47

21	Supply and fixing of LED Table Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge. Make- Philips Taffi 71661/31 3.6/ Crompton/ Wipro	Nos	1.00	1,385.13	1,385.13
22	Supply and fixing of 3 wt. LED Reading Wall Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge.. Make- Philips / Crompton/ Wipro	Nos	2.00	1,623.35	3,246.70
23	Supply & Fixing of 400 mm Wall Fan of approved make complete with connections, testing and commissioning including all other materials etc. as required . [MAKE – KHAITAN MODEL-MERLIN I / MAKE-USHA / MODEL-MIST AIR ULTRA / MAKE CROMPTON, MODEL-WM HIGH FLO WAVE./LG.]	Nos	1	2,093.00	2,093.00
24	Supply and fixing of 32 AMP. D.P. SWITCH WITH KEY RING TAG-2 MODULE [WHITE] [ANCHOR ROMA], CODE – 21770 including all accessories and connections as per instruction of Electrical Engineer-in-charge.	Nos	1.00	601.22	601.22
25	Supply and installation of 2.0 Tr. Split type Air Conditioner (4 Star rated) of reputed brand with supply and fixing of 6 KVA ,130-280 Volt voltage range wall/floor mounted stabiliser including all accessories, fastner angle copper piping up to 15ft & connections as per instruction of Electrical Engineer-in-charge MAKE of A.C-CARRIER SUPERIA, /MAKE – BLUE STAR, MAKE of STABILIZER-JYOTI/ SHAKTI/ AUTOTAKE	Nos	1	63,767.50	63,767.50
26	Supply & fixing of 15 Ltr. Capacity, 5 star rating PVC body water heater etc. including all accessories and connection as per direction of Engineer in charge . (Make .Bajaj, Havels, USHA)	Nos	1	6,204.25	6,204.25
27	Supply and fixing of 18 way Modular Box with face plate including 4 Nos 32 AMP. D.P. SWITCH & 6Amp Switch & Socket including all accessories and connections as per instruction of Electrical Engineer-in-charge.	Nos	1.00	2,633.44	2,633.44

28	Supply and fixing of 16/18 SWG metal box of following size on surface/recess with suitable size of phenolic laminated sheet cover in front including cutting the wall and making good the same case of recessed conduit as required.				
A	6"x4" G.I board	Nos	2	52.66	105.32
B	8"x6" G.I board	Nos	1	74.93	74.93
29	Supplying and fixing of different size modular GI Box 18 swg with Modular base & cover including all accessories. .				
A	12 module	Nos	1	381.76	381.76
B	8 module	Nos	2	270.11	540.22
C	Blanking Plate	Nos	12	19.61	235.32
IV	ROOM NO 26				
A	INTERNAL WIRING & FIXTURE				
1	Recessed wiring to Different Points with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)				-
(a)	Foot Night Lamp Point	Nos	2.00	748.03	1,496.06
(b)	Reading Lamp Point	Nos	2.00	748.03	1,496.06
(c)	Call Bell Point/Display Call Bell Point	Nos	3.00	898.78	2,696.34
(d)	Television Point	Nos	1.00	1,389.54	1,389.54
(e)	Telephone Point	Nos	1.00	725.69	725.69
(f)	Wardrobe light Point	Nos	2.00	725.69	1,451.38
(g)	Ceiling Light Point	Nos	12.00	756.91	9,082.92
(h)	Mirror Light Point	Nos	2.00	748.03	1,496.06

2	Recessed wiring to Ceiling Fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	2	756.91	1,513.82
3	Supply of 2' Down Rod	Nos	2	67.85	135.70
4	supply of Step type Mini electronics Regulator	Nos	2	249.61	499.22
5	Recessed wiring to Exhaust fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	756.91	756.91
6	Point wiring for 5/ 6 amp socket outlet with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	3	465.43	1,396.29

7	Point wiring for 5/ 6 amp socket outlet (Separate) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	10	657.74	6,577.40
8	Point wiring for 5/ 6 amp socket outlet (Table Lamp Point) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	657.74	657.74
9	Point wiring for 15/16 amp socket outlet(AC Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	2	909.40	1,818.80

10	Point wiring for 15/16 amp socket outlet(Gyser Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	909.40	909.40
11	Recessed wiring to submain in 2 x 2.5 sqmm FR PVC insulated single core multistarnd copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required from BDB to Swich board & Computer Points(Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Mtr	90	113.80	10,242.00
12	Recessed wiring to submain in 2 x 4 sqmm FR PVC insulated single core multistarnd copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required (Make of wire Finolex / L &T / Anchor / Havels/ V guard) (CSR SL .No- 1.8.3)	Mtr	90	130.98	11,788.20
13	Supply and fixing of 15 wt. LED Down lighter on False ceiling with White Power quoted CRCA Ring, with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-BAJAJ, CODE-BZSLO-111221 / MAKE-HAVELLS, MODEL-ENDURA DL 15 LED NEO 6000K, CODE-LHEBJNP7IN1W015 / MAKE-PASOLITE, CODE-LDL-013 /	Nos	12	1,817.00	21,804.00

14	Supply and fixing of 4 wt. Surface/ Recessed LED light fitting (for Wardrobe) with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-havells/cg	Nos	2	412.21	824.42
15	Supply and fixing of over door light unit (3 wt.) with lamp , connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-legrand code-572453	Nos	2	393.54	787.08
16	Supply and fixing of MINI DECORATIVE MIRROR LIGHT COMPLETE SET WITH 9 WT. LED, MAKE – CROMPTON, / MAKE-PHILIPS,/ MAKE-WIPRO and connections as per instruction of Electrical Engineer-in-charge.	Nos	2.00	477.55	955.10
17	Supply and fixing of 1200 mm sweep AC Decorative ceiling fan with 5 star rated connecting wire and all accessories refer to catalouge No - MAKE – KHAITAN MODEL –MAGNATE GRAND DLX / MAKE-USHA [WHITE/BROWN/IVORY] MODEL-TECHNIX DECO/ MAKE-CROMPTON [PEARL/AQUA GOLD / CHILLY GOLD], MODEL-HS DECORA PLUS etc. including hanging and connections as per instruction of Electrical Engineer-in-charge.	Nos	2	2,138.51	4,277.02
18	Supply and fixing of 250 MM.(10") SWEEP AC EXHAUST FAN [DOMESTIC] PLASTIC BODY WIRH LOUVERS [BROWN / WHITE] .MAKE – KHAITAN, MODEL –VENTO / MAKE-USHA, MODEL-CRISPAIR / MAKE-CROMPTON, MODEL-BRISKAIR.including fixing and connections as per instruction of Electrical Engineer-in-charge	Nos	1	1,794.00	1,794.00
19	Supply and fixing of Call Bell/buzzer ISI marked suitable for DC/AC single phase 230 volts complete as required .	Nos	1	103.99	103.99

20	Supply and fixing of Modular Display Calling Bell (Anchor Roma/Legrand) including all accessories & connection as per instruction of Electrical Engineer-in-charge.	Nos	1	1,094.47	1,094.47
21	Supply and fixing of LED Table Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge.Make-Philips Taffi 71661/31 3.6/ Crompton/ Wipro	Nos	1.00	1,385.13	1,385.13
22	Supply and fixing of 3 wt. LED Reading Wall Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge..Make-Philips / Crompton/ Wipro	Nos	2.00	1,623.35	3,246.70
23	Supply & Fixing of 400 mm Wall Fan of approved make complete with connections, testing and commissioning including all other materials etc. as required . [MAKE – KHAITAN MODEL-MERLIN I / MAKE-USHA / MODEL-MIST AIR ULTRA / MAKE CROMPTON, MODEL-WM HIGH FLO WAVE./LG.]	Nos	1	2,093.00	2,093.00
24	Supply and fixing of 32 AMP. D.P. SWITCH WITH KEY RING TAG-2 MODULE [WHITE] [ANCHOR ROMA], CODE – 21770 including all accessories and connections as per instruction of Electrical Engineer-in-charge.	Nos	1.00	601.22	601.22
25	Supply & fixing of 15 Ltr. Capacity, 5 star rating PVC body water heater etc. including all accessories and connection as per direction of Engineer in charge . (Make .Bajaj, Havels, USHA)	Nos	1	6,204.25	6,204.25
26	Supply and fixing of 18 way Modular Box with face plate including 4 Nos 32 AMP. D.P. SWITCH & 6Amp Switch & Socket including all accessories and connections as per instruction of Electrical Engineer-in-charge.	Nos	1.00	2,633.44	2,633.44
27	Supply and fixing of 16/18 SWG metal box of following size on surface/recess with suitable size of phenolic laminated sheet cover in front including cutting the wall and making good the same case of recessed conduit as required.				
A	6"x4" G.I board	Nos	2	52.66	105.32
B	8"x6" G.I board	Nos	1	74.93	74.93

28	Supplying and fixing of different size modular GI Box 18 swg with Modular base & cover including all accessories. .				
A	12 module	Nos	1	381.76	381.76
B	8 module	Nos	2	270.11	540.22
C	Blanking Plate	Nos	12	19.61	235.32
A	INTERNAL WIRING & FIXTURE				
1	Recessed wiring to Different Points with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)				
(a)	Foot Night Lamp Point	Nos	2.00	748.03	1,496.06
(b)	Reading Lamp Point	Nos	2.00	748.03	1,496.06
(c)	Call Bell Point/Display Call Bell Point	Nos	3.00	898.78	2,696.34
(d)	Television Point	Nos	1.00	1,389.54	1,389.54
(e)	Telephone Point	Nos	1.00	725.69	725.69
(f)	Wardrobe light Point	Nos	2.00	725.69	1,451.38
(g)	Ceiling Light Point	Nos	12.00	756.91	9,082.92
(h)	Mirror Light Point	Nos	2.00	748.03	1,496.06
2	Recessed wiring to Ceiling Fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	2	756.91	1,513.82
3	Supply of 2' Down Rod	Nos	2	67.85	135.70
4	supply of Step type Mini electronics Regulator	Nos	2	249.61	499.22

5	<p>Recessed wiring to Exhaust fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)</p>	Nos	1	756.91	756.91
6	<p>Point wiring for 5/ 6 amp socket outlet with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)</p>	Nos	3	465.43	1,396.29
7	<p>Point wiring for 5/ 6 amp socket outlet (Separate) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)</p>	Nos	10	657.74	6,577.40

8	Point wiring for 5/ 6 amp socket outlet (Table Lamp Point) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	657.74	657.74
9	Point wiring for 15/16 amp socket outlet(AC Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	2	909.40	1,818.80
10	Point wiring for 15/16 amp socket outlet(Gyser Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	909.40	909.40

11	Recessed wiring to submain in 2 x 2.5 sqmm FR PVC insulated single core multistrand copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required from BDB to Switch board & Computer Points(Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Mtr	90	113.80	10,242.00
12	Recessed wiring to submain in 2 x 4 sqmm FR PVC insulated single core multistrand copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required (Make of wire Finolex / L &T / Anchor / Havels/ V guard) (CSR SL .No- 1.8.3)	Mtr	90	130.98	11,788.20
13	Supply and fixing of 15 wt. LED Down lighter on False ceiling with White Power quoted CRCA Ring, with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-BAJAJ, CODE-BZSLO-111221 / MAKE-HAVELLS, MODEL-ENDURA DL 15 LED NEO 6000K, CODE-LHEBJNP7IN1W015 / MAKE-PASOLITE, CODE-LDL-013 /	Nos	12	1,817.00	21,804.00
14	Supply and fixing of 4 wt. Surface/ Recessed LED light fitting (for Wardrobe) with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-havells/cg	Nos	2	412.21	824.42
15	Supply and fixing of over door light unit (3 wt.) with lamp , connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-legrand code-572453	Nos	2	393.54	787.08

16	Supply and fixing of MINI DECORATIVE MIRROR LIGHT COMPLETE SET WITH 9 WT. LED, MAKE – CROMPTON, / MAKE-PHILIPS./ MAKE-WIPRO and connections as per instruction of Electrical Engineer-in-charge.	Nos	2.00	477.55	955.10
17	Supply and fixing of 1200 mm sweep AC Decorative ceiling fan with 5 star rated connecting wire and all accessories refer to catalouge No - MAKE – KHAITAN MODEL –MAGNATE GRAND DLX / MAKE-USHA [WHITE/BROWN/IVORY] MODEL-TECHNIX DECO/ MAKE-CROMPTON [PEARL/AQUA GOLD / CHILLY GOLD], MODEL-HS DECORA PLUS etc. including hanging and connections as per instruction of Electrical Engineer-in-charge.	Nos	2	2,138.51	4,277.02
18	Supply and fixing of 250 MM.(10") SWEEP AC EXHAUST FAN [DOMESTIC] PLASTIC BODY WIRH LOUVERS [BROWN / WHITE] .MAKE – KHAITAN, MODEL –VENTO / MAKE-USHA, MODEL-CRISPAIR / MAKE-CROMPTON, MODEL-BRISKAIR.including fixing and connections as per instruction of Electrical Engineer-in-charge	Nos	1	1,794.00	1,794.00
19	Supply and fixing of Call Bell/buzzer ISI marked suitable for DC/AC single phase 230 volts complete as required .	Nos	1	103.99	103.99
20	Supply and fixing of Modular Display Calling Bell (Anchor Roma/Legrand) including all accessories & connection as per instruction of Electrical Engineer-in-charge.	Nos	1	1,094.47	1,094.47
21	Supply and fixing of LED Table Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge.Make-Philips Taffi 71661/31 3.6/ Crompton/ Wipro	Nos	1.00	1,385.13	1,385.13
22	Supply and fixing of 3 wt. LED Reading Wall Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge..Make-Philips / Crompton/ Wipro	Nos	2.00	1,623.35	3,246.70

23	Supply & Fixing of 400 mm Wall Fan of approved make complete with connections, testing and commissioning including all other materials etc. as required . [MAKE – KHAITAN MODEL-MERLIN I / MAKE-USHA / MODEL-MIST AIR ULTRA / MAKE CROMPTON, MODEL-WM HIGH FLO WAVE./LG.]	Nos	1	2,093.00	2,093.00
24	Supply and fixing of 32 AMP. D.P. SWITCH WITH KEY RING TAG-2 MODULE [WHITE] [ANCHOR ROMA], CODE – 21770 including all accessories and connections as per instruction of Electrical Engineer-in-charge.	Nos	1.00	601.22	601.22
25	Supply and installation of 2.0 Tr. Split type Air Conditioner (4 Star rated) of reputed brand with supply and fixing of 6 KVA ,130-280 Volt voltage range wall/floor mounted stabiliser including all accessories,fastner angle copper piping up to 15ft & connections as per instruction of Electrical Engineer-in-charge MAKE of A.C-CARRIER SUPERIA, /MAKE – BLUE STAR, MAKE of STABILIZER-JYOTI/ SHAKTI/ AUTOTAKE	Nos	1	63,767.50	63,767.50
26	Supply & fixing of 15 Ltr. Capacity, 5 star rating PVC body water heater etc. including all accessories and connection as per direction of Engineer in charge . (Make .Bajaj, Havels, USHA)	Nos	1	6,204.25	6,204.25
27	Supply and fixing of 18 way Modular Box with face plate including 4 Nos 32 AMP. D.P. SWITCH & 6Amp Switch & Socket including all accessories and connections as per instruction of Electrical Engineer-in-charge.	Nos	1.00	2,633.44	2,633.44
28	Supply and fixing of 16/18 SWG metal box of following size on surface/recess with suitable size of phenolic laminated sheet cover in front including cutting the wall and making good the same case of recessed conduit as required.				-
A	6"x4" G.I board	Nos	2	52.66	105.32
B	8"x6" G.I board	Nos	1	74.93	74.93
29	Supplying and fixing of different size modular GI Box 18 swg with Modular base & cover including all accessories. .				
A	12 module	Nos	1	381.76	381.76
B	8 module	Nos	2	270.11	540.22

C	Blanking Plate	Nos	12	19.61	235.32
VI	ROOM NO -28				
A	INTERNAL WIRING & FIXTURE				
1	Recessed wiring to Different Points with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)				
(a)	Foot Night Lamp Point	Nos	1.00	748.03	748.03
(b)	Reading Lamp Point	Nos	2.00	748.03	1,496.06
(c)	Call Bell Point/Display Call Bell Point	Nos	2.00	898.78	1,797.56
(d)	Television Point	Nos	1.00	1,389.54	1,389.54
(e)	Telephone Point	Nos	1.00	725.69	725.69
(f)	Wardrobe light Point	Nos	2.00	725.69	1,451.38
(g)	Ceiling Light Point	Nos	8.00	756.91	6,055.28
(h)	Mirror Light Point	Nos	2.00	748.03	1,496.06
2	Recessed wiring to Ceiling Fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	756.91	756.91
3	Supply of 2' Down Rod	Nos	1	67.85	67.85
4	supply of Step type Mini electronics Regulator	Nos	1	249.61	249.61

5	Recessed wiring to Exhaust fan Point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	756.91	756.91
6	Point wiring for 5/ 6 amp socket outlet with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	3	465.43	1,396.29
7	Point wiring for 5/ 6 amp socket outlet (Separate) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	7	657.74	4,604.18

8	Point wiring for 5/ 6 amp socket outlet (Table Lamp Point) with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V modular type switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	657.74	657.74
9	Point wiring for 15/16 amp socket outlet(AC Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	909.40	909.40
10	Point wiring for 15/16 amp socket outlet(Gyser Point) with 4.0sq.mm FR PVC insulated single core multistrand copper conductor ISI marked in recess 20 mm dia non metallic PVC flexible conduit with 15/16 Amp, 250 V modular type switch/ 32 amp DP Switch & socket , phenolic laminated sheet suitable size ISI marked MS Box & earthing Point with 1 x 1.5 sq.mm FR PVC insulated single core multistrand copper conductor for loop earthing etc as required as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Nos	1	909.40	909.40

11	Recessed wiring to submain in 2 x 2.5 sqmm FR PVC insulated single core multistrand copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required from BDB to Switch board & Computer Points(Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Mtr	60	113.80	6,828.00
12	Recessed wiring to submain in 2 x 4 sqmm FR PVC insulated single core multistrand copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required (Make of wire Finolex / L &T / Anchor / Havels/ V guard) (CSR SL .No- 1.8.3)	Mtr	40	130.98	5,239.20
13	Supply and fixing of 15 wt. LED Down lighter on False ceiling with White Power quoted CRCA Ring, with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-BAJAJ, CODE-BZSLO-111221 / MAKE-HAVELLS, MODEL-ENDURA DL 15 LED NEO 6000K, CODE-LHEBJNP7IN1W015 / MAKE-PASOLITE, CODE-LDL-013 /	Nos	8	1817.00	14,536.00
14	Supply and fixing of 4 wt. Surface/ Recessed LED light fitting (for Wardrobe) with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-havells/cg	Nos	2	412.21	824.42
15	Supply and fixing of over door light unit (3 wt.) with lamp , connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-legrand code-572453	Nos	1	393.54	393.54

16	Supply and fixing of MINI DECORATIVE MIRROR LIGHT COMPLETE SET WITH 9 WT. LED, MAKE – CROMPTON, / MAKE-PHILIPS./ MAKE-WIPRO and connections as per instruction of Electrical Engineer-in-charge.	Nos	2.00	477.55	955.10
17	Supply and fixing of 1200 mm sweep AC Decorative ceiling fan with 5 star rated connecting wire and all accessories refer to catalouge No - MAKE – KHAITAN MODEL –MAGNATE GRAND DLX / MAKE-USHA [WHITE/BROWN/IVORY] MODEL-TECHNIX DECO/ MAKE-CROMPTON [PEARL/AQUA GOLD / CHILLY GOLD], MODEL-HS DECORA PLUS etc. including hanging and connections as per instruction of Electrical Engineer-in-charge.	Nos	1	2,138.51	2,138.51
18	Supply and fixing of 250 MM.(10") SWEEP AC EXHAUST FAN [DOMESTIC] PLASTIC BODY WIRH LOUVERS [BROWN / WHITE] .MAKE – KHAITAN, MODEL –VENTO / MAKE-USHA, MODEL-CRISPAIR / MAKE-CROMPTON, MODEL-BRISKAIR.including fixing and connections as per instruction of Electrical Engineer-in-charge	Nos	1	1,794.00	1,794.00
19	Supply and fixing of Call Bell/buzzer ISI marked suitable for DC/AC single phase 230 volts complete as required .	Nos	1	103.99	103.99
20	Supply and fixing of Modular Display Calling Bell (Anchor Roma/Legrand) including all accessories & connection as per instruction of Electrical Engineer-in-charge.	Nos	1	1,094.47	1,094.47
21	Supply and fixing of LED Table Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge.Make-Philips Taffi 71661/31 3.6/ Crompton/ Wipro	Nos	1.00	1,385.13	1,385.13
22	Supply and fixing of 3 wt. LED Reading Wall Lamp including all accessories and connections as per instruction of Electrical Engineer-in-charge..Make-Philips / Crompton/ Wipro	Nos	2.00	1,623.35	3,246.70

23	Supply & Fixing of 400 mm Wall Fan of approved make complete with connections, testing and commissioning including all other materials etc. as required . [MAKE – KHAITAN MODEL-MERLIN I / MAKE-USHA / MODEL-MIST AIR ULTRA / MAKE CROMPTON, MODEL-WM HIGH FLO WAVE./LG.]	Nos	1	2,093.00	2,093.00
24	Supply and fixing of 32 AMP. D.P. SWITCH WITH KEY RING TAG-2 MODULE [WHITE] [ANCHOR ROMA], CODE – 21770 including all accessories and connections as per instruction of Electrical Engineer-in-charge.	Nos	1.00	601.22	601.22
25	Supply & fixing of 15 Ltr. Capacity, 5 star rating PVC body water heater etc. including all accessories and connection as per direction of Engineer in charge . (Make . Bajaj, Havels, USHA)	Nos	1	6,204.25	6,204.25
26	Supply and fixing of 18 way Modular Box with face plate including 3 Nos 32 AMP. D.P. SWITCH & 6Amp Switch & Socket including all accessories and connections as per instruction of Electrical Engineer-in-charge..	Nos	1.00	2,201.13	2,201.13
27	Supply and fixing of 16/18 SWG metal box of following size on surface/recess with suitable size of phenolic laminated sheet cover in front including cutting the wall and making good the same case of recessed conduit as required.				-
A	6"x4" G.I board	Nos	2	52.66	105.32
B	8"x6" G.I board	Nos	1	74.93	74.93
28	Supplying and fixing of different size modular GI Box 18 swg with Modular base & cover including all accessories. .				-
A	12 module	Nos	1	381.76	381.76
B	8 module	Nos	2	270.11	540.22
C	Blanking Plate	Nos	12	19.61	235.32
VII	BDB,CORRIDER LIGHT,SUBMAIN WIRING AT ROOM NO.23 TO 28				-
A	INTERNAL WIRING & FIXTURE				-

1	Recessed wiring to Different Points with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor of ISI marked with 20 mm dia non metallic PVC flexible conduit with 5 Amp, 250 V one way modular switch ISI marked and ceiling rose ISI marked mounted on MS Box having front bakelight cover of suitable size, MS Box with 1.0 sq. FR PVC insulated single core multistrand copper conductor as earth wire including all accessories and connection as per direction of Engineer in charge . (Make of wire Finolex / L &T / Anchor / Havels/ V guard)				-
(a)	Light Point	Nos	6.00	748.03	4,488.18
2	Supply and fixing of 15 wt. LED Down/surface lighter on surface ceiling with White Power quoted CRCA Ring, with lamp , choke, connecting wire, and all accessories and connections as per instruction of Electrical Engineer-in-charge MAKE-BAJAJ, CODE-BZSLO-111221 / MAKE-HAVELLS, MODEL-ENDURA DL 15 LED NEO 6000K, CODE-LHEBJNP7IN1W015 / MAKE-PASOLITE, CODE-LDL-013 /	Nos	6	1,817.00	10,902.00
3	Supply and fixing of 4 way mcb Box (4+12) with 63 amp 4P MCB & 12 nos 20 amp SPMCB with sheet steel encloser , distribution board, on surface/ recess, complete with tinned copper bus bar , neutral bus bar, earth bar, din bar , detachable gland plate, interconnection , phosphate and power painted including earthing etc as required. (Sl. No- 2.7.4, 2.5& 2.9)	Nos	2	4044.41	8,088.82
4	Supply and fixing of 8 way mcb Box[SPNDB] with 63 Amp DP MCB & 06 nos 10 amp SPMCB with sheet steel encloser , distribution board, on surface/ recess, complete with tinned copper bus bar , neutral bus bar, earth bar, din bar , detachable gland plate, interconnection , phosphate and power painted including earthing etc as required.	Nos	2	2631.56	5,263.12

5	Recessed wiring to submain in 2 x 6 sqmm FR PVC insulated single core multistrand copper conductor of ISI marked confirming to IS-694/1990 in 32 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 2.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required (Make of wire Finolex / L &T / Anchor / Havels/ V guard)	Mtr	90	161.14	14,502.60
6	Recessed wiring to submain in 4 x 16 sqmm FR PVC insulated single core multistrand copper conductor of ISI marked confirming to IS-694/1990 in 32 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 2 x 10 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required (Make of wire Finolex / L &T / Anchor / Havels/ V guard) (CSR SL .No- 1.8.12)	Mtr	130	581.28	75,566.40
7	Recessed wiring to submain in 2 x 4 sqmm FR PVC insulated single core multistrand copper conductor of ISI marked confirming to IS-694/1990 in 20 mm dia non metallic heavy duty flexible conduit 1.6 mm thick along with 1 x 1.5 sqmm FR PVC insulated single core multistrand copper conductor as earth wire as required (Make of wire Finolex / L &T / Anchor / Havels/ V guard) (CSR SL .No- 1.8.3)	Mtr	270	130.98	35,364.60
8	Dismantling of old fixture of 23-28 [AC, Gyzer, lights, fans , wiring, boards etc] (Subject to actual)	L.S.	1	10,000.00	10,000.00
A	TOTAL RS.				993262.20
B	CESS				9932.62
C	Sub-Total				1003194.82
D	Total Estimated Cost in Figures				1,003,195.00
EXCESS <input type="checkbox"/> LESS <input type="checkbox"/> (Please Tick)		_____ %			
Quoted Amount in Figure					

Quoted Amount in words	
------------------------	--

N:B- The Estimated cost is exclusive of GST.

Signature of Tenderer with seal

**Sd/-
Asst. Project Manager[Elect.]**

**Sd/-
APM Elect. (Hqr.)**

**Sd/-
Consultant(Elect.)**

**Sd/-
Joint Manager(Elect.)**